



HYDRON

Protective Coatings Ltd

SAFETY DATA SHEET

Nu-Base PS Floor Finish (Act)

According to Regulation (EU) No 453/2010
According to Regulation (EC) No 1907/2006

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Nu-Base PS Floor Finish (Act)
Product No. HPC 132

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Paint/Curing Agent/Activator

1.3. Details of the supplier of the safety data sheet

Supplier Hydron Protective Coatings Ltd,
Unit 7 Phoenix Road,
Wednesfield
Wolverhampton
WV11 3PX
+44 (0) 1902 450 950
Contact Person enquiries@hydrnpc.co.uk

1.4. Emergency telephone number

National Emergency Telephone Number
+44 (0) 1902 450 950 08:30-17:00 MON-FRI

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Xn;R22. C;R34. R10.

2.2. Label elements

Contains 3-AMINOPROPYLTRIETHOXYSILANE
Labelling



Corrosive



Harmful

Risk Phrases

R10	Flammable.
R22	Harmful if swallowed.
R34	Causes burns.

Safety Phrases

NC	Not classified.
----	-----------------

2.3. Other hazards

This product does not contain any PBT or vPvB substances.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Nu-Base PS Floor Finish (Act)

3-AMINOPROPYLTRIETHOXYSILANE		60-100%
CAS-No.: 919-30-2	EC No.: 213-048-4	
Classification (EC 1272/2008) Acute Tox. 4 - H302 Skin Corr. 1B - H314	Classification (67/548/EEC) C;R34 Xn;R22	
ORGANOBUTYL TIN COMPOUNDS		1-5%
CAS-No.:	EC No.:	
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Xn;R20/21/22. Xi;R36/38.	

BUTYL ACETATE -norm		1-5%
CAS-No.: 123-86-4	EC No.: 204-658-1	
Classification (EC 1272/2008) Flam. Liq. 3 - H226 EUH066 STOT SE 3 - H336	Classification (67/548/EEC) R10 R66 R67	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Get medical attention. Place unconscious person on the side in the recovery position and ensure breathing can take place. Move injured person into fresh air immediately. Call an ambulance. Be aware that symptoms of lung oedema (shortness of breath) may develop up to 24 hours after exposure. Bring these instructions.

Ingestion

Remove victim immediately from source of exposure. Immediately rinse mouth and drink plenty of water (200-300 ml). DO NOT induce vomiting. Get medical attention immediately.

Skin contact

Wash skin thoroughly with soap and water for several minutes. Get medical attention promptly if symptoms occur after washing. Use barrier creams to prevent skin contact. Remove contaminated clothes and rinse skin thoroughly with water.

Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Continue flushing during transport to hospital. Bring these instructions.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Harmful if inhaled Vapours may cause headache, fatigue, dizziness and nausea.

Ingestion

Harmful if swallowed. May cause nausea, stomach pain and vomiting. May cause chemical burns in mouth and throat.

Skin contact

Skin irritation. Prolonged skin contact may cause redness and irritation.

Eye contact

May cause severe irritation to eyes. Prolonged contact may cause redness and/or tearing.

4.3. Indication of any immediate medical attention and special treatment needed

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY! In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

SECTION 5: FIREFIGHTING MEASURES

Nu-Base PS Floor Finish (Act)

5.1. Extinguishing media

Extinguishing media

Use fire-extinguishing media appropriate for surrounding materials. Extinguish with foam, carbon dioxide or dry powder.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Nitric acid (HNO₃). Ammonia or amines. In case of fire, toxic gases (CO, CO₂, NO_x) may be formed.

Unusual Fire & Explosion Hazards

FLAMMABLE.

Specific hazards

Vapours are heavier than air and may travel along the floor and in the bottom of containers. Vapours may be ignited by a spark, a hot surface or an ember. Vapours may form explosive air mixtures even at room temperature. If a fire or if heated, a pressure increase will occur and the container may burst with the risk of subsequent explosion.

5.3. Advice for firefighters

Special Fire Fighting Procedures

Keep up-wind to avoid fumes. Use water SPRAY only to cool containers! Do not put water on leaked material. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Do not discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Remove sources of ignition. Collect in containers and seal securely. Remove containers and flush area with water. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate.

6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Eliminate all sources of ignition. Keep away from heat, sparks and open flame. All handling to take place in well-ventilated area. Use non sparking handtools and explosion-proof electric equipment. Static electricity and formation of sparks must be prevented. Take precautionary measures against static discharges when there is a risk of dust explosion. Storage tanks and other containers must be grounded. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container. Keep away from food, drink and animal feeding stuffs. Flammable/combustible - Keep away from oxidisers, heat and flames.

Storage Class

Flammable liquid storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2. Restricted to professional users.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
BUTYL ACETATE -norm	WEL	150 ppm	724 mg/m ³	200 ppm	966 mg/m ³	

Nu-Base PS Floor Finish (Act)

WEL = Workplace Exposure Limit.

Ingredient Comments

WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment



Process conditions

Use only with adequate ventilation. Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station. Provide eyewash, quick drench.

Engineering measures

No specific ventilation requirements noted, but forced ventilation may still be required if air contamination exceeds acceptable level.

Respiratory equipment

In case of inadequate ventilation use suitable respirator.

Hand protection

Use suitable protective gloves if risk of skin contact.

Eye protection

Wear approved safety goggles.

Other Protection

Wear appropriate clothing to prevent reasonably probable skin contact.

Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet.

Environmental Exposure Controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Amine-like
Solubility	Insoluble in water
Initial boiling point and boiling range (°C)	
Not determined.	
Melting point (°C)	
Not applicable.	
Relative density	0.90 - 1.10 @ 20 °c
Vapour density (air=1)	
Not known.	
Vapour pressure	
Not known.	
Evaporation rate	
Not known.	
Decomposition temperature (°C)	
Not available.	
Odour Threshold, Lower	
Not known.	
Odour Threshold, Upper	
Not known.	
Flash point (°C)	23°C CC (Closed cup).
Auto Ignition Temperature (°C)	
Not known.	
Flammability Limit - Lower(%)	
Not known.	

Nu-Base PS Floor Finish (Act)

Flammability Limit - Upper(%)

Not known.

Partition Coefficient
(N-Octanol/Water)

Not known.

Explosive properties

No information available.

Comments May form explosive mixtures with air

9.2. Other information

No information required.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reaction with: Oxidising materials.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

None under normal processing

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition. Avoid contact with strong oxidisers. Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to conditions to heat or sources of ignition.

10.5. Incompatible materials

Materials To Avoid

Strong oxidising substances.

10.6. Hazardous decomposition products

Nitric acid (HNO₃). Ammonia or amines. In case of fire, toxic gases (CO, CO₂, NO_x) may be formed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information

No information available.

Acute toxicity:

Acute Toxicity (Oral LD₅₀)

Not known.

Carcinogenicity:

Carcinogenicity

Not known.

General information

This product is unlikely to harm health, given normal and proper handling and hygienic precautions.

Route of entry

Inhalation. Skin absorption. Ingestion.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

This product contains substances which are harmful to aquatic organisms. Do not discharge into drains, water courses or onto the ground.

Acute Toxicity - Fish

Not known.

Nu-Base PS Floor Finish (Act)

12.2. Persistence and degradability

Degradability

There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product contains potentially bioaccumulating substances.

Partition coefficient

Not known.

12.4. Mobility in soil

Mobility:

The product is insoluble in water and will spread on the water surface.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Do not allow runoff to sewer, waterway or ground. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Absorb in vermiculite or dry sand and dispose of at a licenced hazardous waste collection point.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID/ADN)	1263
UN No. (IMDG)	1263
UN No. (ICAO)	1263

14.2. UN proper shipping name

Proper Shipping Name	Paint or Paint related material
Proper Shipping Name	PAINT

14.3. Transport hazard class(es)

ADR/RID/ADN Class	3
ADR/RID/ADN Class	Class 3: Flammable liquids.
ADR Label No.	3
IMDG Class	3.2
ICAO Class/Division	3
ICAO Subsidiary risk	---
Transport Labels	



14.4. Packing group

ADR/RID/ADN Packing group	31(c)
---------------------------	-------

Nu-Base PS Floor Finish (Act)

IMDG Packing group	III
ICAO Packing group	II

14.5. Environmental hazards

14.6. Special precautions for user

EMS	3-05
Emergency Action Code	3(Y)
Hazard No. (ADR)	30

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Uk Regulatory References

Petroleum (Consolidation) Act, as amended 1984 SI 1244. Highly Flammable Liquid Regulations 1972.

Environmental Listing

Rivers (Prevention of Pollution) Act 1961. Control of Pollution (Special Waste Regulations) Act 1980.

Statutory Instruments

Control of Substances Hazardous to Health.

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply.

Guidance Notes

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

General information

Residual vapours may explode on ignition, do not cut, grind or weld on or near the container. Product to be used in industrial and/or professional applications.

Revision Date	24/07/14
Revision	0
Supersedes date	18/06/2014
SDS No.	10704

Risk Phrases In Full

R34	Causes burns.
R10	Flammable.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R22	Harmful if swallowed.
R36/38	Irritating to eyes and skin.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

Hazard Statements In Full

H314	Causes severe skin burns and eye damage.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

Nu-Base PS Floor Finish (Act)

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.